



HEALTH AND SAFETY DATA

Mortars, Plasters and Renders

RJ 5.02

Product Names:

RJ 2.01 Bedding & Pointing Mortar

RJ 2.02 Internal Basecoat Plaster

RJ 2.04 Internal Fine Finish Plaster

RJ 2.08 Internal Fine Crack Filler

RJ 2.09 External Lime Putty Render

Description:

Calcium Hydroxide $\text{Ca}(\text{OH})_2$ in water mixed with various sands and aggregates in proportions ranging from 1:1 to 1:3 (by volume).

Reach Data:

CAS No: 1305-62-0. Alkali (pH 13).

EINECS No: 215-137-3.

Danger: H318 Causes Serious Eye Damage.

Warning: H315 Causes skin irritation.

UUID (REACH-IT): ECHA-0b8033ac-e80a-4eb3-be81-98ec007547a2

pre-Reg REACH-IT: 17-2119413881-42-0000

REACH -IT Reg. No. 01-2119475151-45-0387.



Storage:

Store in original containers in cool environment. Protect from heat and frost. Basecoat plasters and renders, RJ 2.02 and RJ 2.09 are reinforced with a mixture of polypropylene fibres and sisal. If hair is specified it will quickly degrade in the wet alkali plaster and animal hair reinforced plasters must be used immediately.

Precautionary Statements:

- P102: Keep out of reach of children.
- P280: Wear protective gloves, eye protection/face protection.
- P305 + P351 + P310: If in eyes rinse cautiously with water for several minutes and immediately get medical assistance.
- P302 + P352: If on skin, wash affected parts immediately with soap and water.
- P501: Dispose of contents/containers at hazardous waste collection point.

Protective Measures:

Suitable protective clothing is essential.

- Eye Protection:** Goggles/face protection designed to protect against liquid slashes.

Emergency First Aid:

- Oral Ingestion:** Wash mouth with water and drink plenty of water. Do not induce vomiting. Seek medical advice if in doubt. May irritate gastrointestinal tract.
- Eye Contact:** SPEED IS ESSENTIAL. Irrigate immediately with plenty of clean water for at least 15 minutes. Seek medical attention immediately. May cause serious damage to eyes if left untreated.
- Skin Contact:** Wash with water for at least 15 minutes immediately. Remove contaminated clothing and laundry before re-use. Seek medical attention if irritation persists. May cause dermatitis or alkaline burns.

Spills:

Non-flammable. Scoop/mop up. Lime mortar on floor can be a slipping hazard.



Disposal:

Do not allow to enter drains and water courses.

Fire Fighting:

Non-flammable. No known harmful decomposition products.

Transport:

Not dangerous for transport. Transport in sealed bags or upright containers

Data Sheets:

All product data + H&S info sheets can be printed from our website: www.roseofjericho.co.uk

Tel: 01935 83676; Fax: 01935 83903; email: info@roseofjericho.co.uk